

Lubex[®]

GREASE



500G GREASE CARTRIDGE RANGE

LUBEX LITHCAL RED & TACKY EP2



PRODUCT CODE: LXREDLC2 500H



TYPE	Lithium Calcium
COLOUR	Red
NLGI	2
PACK SIZE	180kg, 20kg, 18kg, 2.5kg, 500g, 450g, 400g

Lubex Lithcal Red & Tacky EP2 is a lithium-calcium thickened lubricating grease based on mineral oil and polymer. The grease contains antioxidants, corrosion inhibitors, EP additives for extended lubricant life.

The product is designed for the lubrication of slow moving and heavily loaded bearings. The lubricating grease has excellent adhesion and water resistance making it a suitable choice for wet conditions.

APPLICATION

Lubex Lithcal Red & Tacky EP2 is suitable for heavily loaded industrial and agricultural applications where water wash is problematic.

The product is also suitable for heavy-duty vehicles working outdoors in wet and dirty conditions; and performs excellently in plain pin and bush bearings and chassis lubrication of agricultural and earth moving machinery.

FEATURES & BENEFITS:

- ✓ Excellent adhesion to stay at the lubrication point.
- ✓ Excellent load carrying capacity.
- ✓ High resistance to shock loads.
- ✓ Very good resistance to water ingress.

LUBEX LITHCAL EP2 G2M2



PRODUCT CODE: LXLC2G2M2 500H



TYPE	Lithium Calcium
COLOUR	Black
NLGI	2
PACK SIZE	180kg, 20kg, 18kg, 2.5kg, 500g, 450g, 400g

Lubex Lithcal EP2 G2M2 is a lithium-calcium thickened lubricating grease based on mineral oil and polymer reinforced with molybdenum and graphite (4% solids). The lubricating grease has excellent adhesion and water resistance making it a suitable choice for wet, loaded conditions.

APPLICATION

Lubex Lithcal EP2 G2M2 is designed for heavily loaded applications where shock loads and water wash-out is problematic. The product is suitable for off road construction vehicles working outdoors in wet and dirty conditions; along with very well suited to plain pin and bush bearings and chassis lubrication of agricultural and earth moving machinery. The molybdenum / graphite additives provide extra protection in shock load and extreme pressure applications.

FEATURES & BENEFITS:

- ✓ Excellent load carrying capacity.
- ✓ Superb resistance to shock loads.
- ✓ Very good resistance to water ingress.

LUBEX BLUE EP2



PRODUCT CODE: LXBLUE2 500H



TYPE	Lithium Complex
COLOUR	Blue
NLGI	2
PACK SIZE	180kg, 20kg, 18kg, 2.5kg, 500g, 450g, 400g

Lubex Blue EP2 is a premium quality multipurpose lithium complex grease, providing excellent lubricating qualities over a wide range of temperatures, with excellent mechanical and chemical stability.

APPLICATION

Lubex Blue EP2 Grease is developed for use in wheel and other rolling bearings and as a multi-purpose grease for cars, vans, trucks, buses, coaches and construction plant such as bulldozers, scrapers, loaders and dump trucks where it performs outstandingly.

Where water contamination occurs, even at elevated temperatures, effective lubrication is maintained due to the excellent resistance to water wash out. Additionally, high protection against rusting and corrosion is maintained.

FEATURES & BENEFITS:

- ✓ Excellent extreme pressure and anti-wear performance.
- ✓ High degree of corrosion protection.
- ✓ High shear stability.
- ✓ Rust and corrosion inhibitors to protect metal surfaces.

LUBEX GREEN EP2



PRODUCT CODE: LXGREEN2 500H



TYPE	Calcium Sulphonate Complex
COLOUR	Green
NLGI	2
PACK SIZE	180kg, 20kg, 18kg, 2.5kg, 500g, 450g, 400g

Lubex Green is a premium performance extreme-pressure grease with a calcium sulphonate thickener that forms a protective barrier, shielding equipment from wear under harsh conditions. Suitable for a broad range of applications & conditions, Lubex Green operates from -30°C up to 180°C, maximising lubricant efficiency.

APPLICATION

Lubex Green is suitable for industries such as mining, steel mills, shaker screens, rock crushing, hammer mills, vibration compactors, slew ring bearings, earthmoving, phosphate processing paper manufacturing, fertiliser plant, shipping cranes, acid/alkaline plants, all marine applications, oven conveyors, roto moulding, plastic extrusion and tenter frame bearings.

It's proven effective in diverse applications such as hydraulic hammers reducing grease consumption and in truck wheel bearings exposed to high temperatures from excessive braking.

FEATURES & BENEFITS:

- ✓ Excellent high load capacity with extended life, reducing re-lubrication frequency.
- ✓ Water-resistant – maintains performance in treated or salt water.
- ✓ Exceptional corrosion and rust resistance.
- ✓ Suitable for a wide speed range, from electric motor bearings to slow-moving, heavily loaded bearings and bushes.

Purchase a 500g Grease Gun Adapter Today!



PRODUCT CODE: L-ADMIL

Upgrade your grease gun with the Lubex Screw Thread Adapter. Designed to suit M18 Milwaukee 450g Grease Guns including Europe, USA, and UK models, ensuring a secure connection and smooth grease flow for effortless lubrication.

Pair it with Lubex 500g Grease Cartridges, a high-performance lubricant with superior adhesion, water resistance, and long-lasting protection. Lubex 500g Grease enhances efficiency, reduces wear, and ensures optimal performance in demanding conditions.

Lubex®

PROTECT, PRESERVE, **PROLONG WHAT MATTERS**

For more information, call our team or scan the QR code to visit our website



+61 459 451 000
sales@lubex-global.com
lubex-global.com

DISCLAIMER: The information provided is deemed accurate at the time of printing and is subject to change without prior notice. Lubex accepts no responsibility for changes in information after publication. Bottle and label images are for illustration purposes only.

PRODUCT KEY:

